

TECHNICAL DATA SHEET

Avery Dennison F5350 is a single coated tape designed as a fastening tape and supplied in selfwound rolls. Avery Dennison fastening tape in combination with our release tape forms a diaper closure system.

- Premium adhesion and shear performance on a wide variety of nonwoven diaper ears
- Combined with a hook element and a release tape, this fastening tape will act as a trustworthy closure system to loop surfaces, that is also refastenable
- Flagging of open tapes during conversion eliminated with balanced adhesion of fastening tape to release tape

CONSTRUCTION

1. White soft polypropylene fastening tape
2. Pressure sensitive rubber-based hotmelt adhesive



STANDARD WIDTH: 55 MM

- Roll width: 55 mm
- Roll length: 1100 linear meter
- Inside diameter of the core: 76 mm (3 inch)
- Outside diameter of the roll: 425 mm

STANDARD WIDTH: 62 MM

- Roll width: 62 mm
- Roll length: 1100 linear meter
- Inside diameter of the core: 76 mm (3 inch)
- Outside diameter of the roll: 425 mm

STANDARD WIDTH: 67 MM

- Roll width: 67 mm
- Roll length: 1100 linear meter
- Inside diameter of the core: 76 mm (3 inch)
- Outside diameter of the roll: 425 mm

PACKAGING

- Standard export packaging
- Pallet size is 1200 x 1000 x 1170 mm (height). Stackable 3
- Number of rolls per pallet: 90

PACKAGING

- Standard export packaging
- Pallet size is 1200 x 1000 x 1220 mm (height). Stackable 3
- Number of rolls per pallet: 80

PACKAGING

- Standard export packaging
- Pallet size is 1200 x 1000 x 1170 mm (height). Stackable 3
- Number of rolls per pallet: 75

Physical Properties	Typical Values	Test Methods
Carrier Basis Weight	72 gsm	T06/010
Basis Weight	105 gsm	
90° peel on PE film	140 N/m	T04/100

Note: The listed values are typical only and not intended to serve as product specifications.
Test procedures conform PSTC – ASTM – ISO.

STORAGE AND SHELF LIFE

The shelf life of the product is one year when stored in original packaging at 15°C-30°C, 30-70% relative humidity and out of direct sunlight.

IMPORTANT

Information on the above characteristics is based upon tests we believe to be reliable. The values given are typical values that vary according to application conditions. The values are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine prior to use the suitability of this material for their specific purposes. All Avery Dennison materials described herein are sold subject to Avery Dennison Conditions of Sales, a copy of which is available upon request.

For more information about our baby, incontinence, feminine care and packaging, call us:

North America: +1 866 462 8379

Asia Pacific: +86 512 57155001

Europe: +32 (0)14 40 48 11

www.personalcare.averydennison.com