

## TECHNICAL DATA SHEET

**Avery Dennison R4340** is a single coated tape designed as a release tape and supplied in selfwound rolls. Avery Dennison fastening tape in combination with our release tape forms a diaper closure system.

- Premium adhesion and shear performance on a wide variety of nonwoven substrates
- Flagging of open tapes during conversion eliminated with balanced adhesion of fastening tape to release tape

### CONSTRUCTION

1. White soft polypropylene release tape
2. Pressure sensitive rubber-based hotmelt adhesive



#### STANDARD WIDTH: 22 MM

- Roll width: 22 mm
- Roll length: 1000 linear meter
- Inside diameter of the core: 76 mm (3 inch)
- Outside diameter of the roll: 400 mm

#### PACKAGING

- Standard export packaging
- Pallet size is 1200 x 1000 x 1170 mm (height). Stackable 2
- Number of rolls per pallet: 270

#### STANDARD WIDTH: 28 MM

- Roll width: 28 mm
- Roll length: 1000 linear meter
- Inside diameter of the core: 76 mm (3 inch)
- Outside diameter of the roll: 400 mm

#### PACKAGING

- Standard export packaging
- Pallet size is 1200 x 1000 x 1190 mm (height). Stackable 2
- Number of rolls per pallet: 210

#### STANDARD WIDTH: 31 MM

- Roll width: 31 mm
- Roll length: 1000 linear meter
- Inside diameter of the core: 76 mm (3 inch)
- Outside diameter of the roll: 400 mm

#### PACKAGING

- Standard export packaging
- Pallet size is 1200 x 1000 x 1190 mm (height). Stackable 2
- Number of rolls per pallet: 192

#### STANDARD WIDTH: 43.8 MM

- Roll width: 43.8 mm
- Roll length: 1000 linear meter
- Inside diameter of the core: 76 mm (3 inch)
- Outside diameter of the roll: 400 mm

#### PACKAGING

- Standard export packaging
- Pallet size is 1200 x 1000 x 1190 mm (height). Stackable 2
- Number of rolls per pallet: 138

## TECHNICAL DATA SHEET

Physical Properties	Typical Values	Test Methods
Carrier Basis Weight	72 gsm	T06/010
Basis Weight	100 gsm	
90° peel on PE film	130 N/m	T04/126
90° peel release	120 N/m	T04/200

Note: The listed values are typical only and not intended to serve as product specifications.  
Test procedures conform PSTC – ASTM – ISO.

## STORAGE AND SHELF LIFE

The shelf life of the product is one year when stored in original packaging at 15°C-30°C, 30-70% relative humidity and out of direct sunlight.

## IMPORTANT

Information on the above characteristics is based upon tests we believe to be reliable. The values given are typical values that vary according to application conditions. The values are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine prior to use the suitability of this material for their specific purposes. All Avery Dennison materials described herein are sold subject to Avery Dennison Conditions of Sales, a copy of which is available upon request.

For more information about our baby, incontinence, feminine care and packaging, call us:

**North America:** +1 866 462 8379

**Asia Pacific:** +86 512 57155001

**Europe:** +32 (0)14 40 48 11

[www.personalcare.averydennison.com](http://www.personalcare.averydennison.com)

©2020, Avery Dennison Corporation. Avery Dennison and the triangle logo are registered trademarks of Avery Dennison Corporation. All rights reserved.



Performance  
Tapes