

Material Safety Data Sheet Health & Safety Information

Avery Dennison®S4443G

1. Product and company identification

1.1 Product name: AVERY DENNISON® \$4443G

1.2 Intended use: Reseal tape onto feminine sanitary napkin

1.3 Producer: Avery Dennison (Kunshan)

Performance Tapes

Contact person: Joy Zhang

Telephone number: +86 512 5715 5001

2. Composition of the product

2.1 Product composition:

- The adhesives are hot-melt rubbers consisting of a combination of synthetic rubber, resins and antioxidant
- The tape film carrier is composed of polypropylene film
- The release agents are composed of silicones

3. Hazard identification

There is no evidence to suggest that this product can be considered as harmfulness under normal condition of use, handling and storage.

This product is not hazardous. It does not have any adverse human health effects or environmental effects.

4. First aid measures

Skin contact: If the skin would be irritated after prolonged contact, clean the skin with

water and soap.

Eye contact: If a part of the tape is present in the eye, treat the part as an inert particle.

Irrigate with plenty of clean water for 15 minutes; remove contact lenses for

better cleaning.

Oral: If a piece of tape is swallowed, rinse out mouth and drink large quantities of

water. Obtain medical attention if necessary.

Inhalation: Remove from exposure and obtain medical assistance in case of breathing

difficulties.



5. Fire fighting measures

Suitable extinguishing media are foam, sand, dry powder, and carbon dioxide.

Hazardous decomposition products: above the decomposition temperature the major volatiles will be carbon dioxide, water carbon monoxide and small molecular weight organic materials.

The ratio depends on the burning temperature and the presence of oxygen.

6. Accidental release measures

The product is a solid and insoluble product. Therefore uncontrolled release (into air or water) is highly unlikely.

7. Handing and storage

Handing:

Static electricity: In most processes in which there is movement of foil over metal or

other rollers, surface electrical charges develop on the film. Static charges should be eliminated or reduced as much as possible, since they provide a source of ignition for flammable vapours and gasses or may give electrical shocks to operators. Use either passive or

active static eliminators to reduce the charges.

Reeling: Machine design and work practices should be organized to remove

the danger of trapping parts of the body or clothing in reeled

materials and between the film and machinery parts.

Work area: Operators who convert the tape should work in well-ventilated areas.

Storage: temperatures

Store under dry conditions, out of direct sunlight and at

below 40°C.

8. Exposure controls / personal protection

- 8.1 No specific environmental exposure limit values apply.
- 8.2 Exposure control:
 - 8.2.1 Ensure sufficient ventilation.
 - 8.2.1.1 Protective mask is not necessary in a normal ventilated work area.
 - 8.2.1.2 Gloves are only necessary to protect hands from sharp edges of some tapes.
 - 8.2.1.3 Eye protection (safety glasses) is only necessary in conversion operations where parts of the tape may be projected to the face.
 - 8.2.1.4 Apply general measurements of normal hygiene.
 - 8.2.2 No specific environmental exposure limit values apply.



9. Physical and chemical properties

9.1 General information

Physical state: The product is solid, supplied in film format and would in rolls

-Smell: Slight rubber smell

-Colour: Adhesive: Light yellow Tape film: Green

9.2 Important health, safety and environmental information

-PH value:
-Boiling point:
-Flash point:
-Decompositing temperature:
-Auto-ignition temperature:
-Relative density (adhesive):

not defined (solid product)
not defined (solid product)
not defined (solid product)
adhesive:
1.0 ± 0.1 gr./cm³

carrier: $0.9 \pm 0.1 \text{ gr./cm}^3$

-Solubility in water: negligible

- Vapor pressure: very low; the product is min. 99.9 % solid

no solvents are present.

10. Stability / reactivity

The product is stable under normal operating condition.

11. Toxicological information

Inhalation: not determined
 Skin contact: not determined
 Cytotoxicity: not determined
 Eye contact: not determined
 Ingestion: not determined

Long term exposure:
 no adverse effects are expected during normal ues

12. Ecological information

- Not determined
- Avoid losses to the environment whenever possible
- Parts of the product will slowly degrade under exposure to UV-light. Adverse effects are not to be expected

13. Disposal considerations

Dispose of in a safe and approved manner in accordance with local regulations.

14. Transport information

The material is not a hazardous good by any means for transportation.

The product does not have any restricted classification.

15. Regulatory information

According to the EG-directives, the product is not subject for special markings (R-sentence, S-sentence, Vbf are not applicable)





4	^	~ 41		4.5
1	6.	Other	inform	ation

None

This information is given in good faith and is based on our present knowledge and experience but no warranty, express or implied, is made.

For further information, please consult Performance Tapes, Avery Dennison Kunshan Co. Ltd., China. (+86. 512. 5715 5001)