

Avery Dennison Z4050 is a Z-folded tape closure system, used to generate a disposal function on diapers.


- Pre-folded Z-shaped construction, extendible to about 2.3 times its original size allowing to bridge and wrap large parcels (wrapping and disposal tape applications)
- Anti-flagging adhesive/silicone bond in the Z-fold construction eliminates pop-opens during conversion
- Coloured fingerlift highlighting the opening position in the tape
- Adhesive of the permanent and fastening area providing an optimal closure on polyethylene's and nonwoven backsheets

CONSTRUCTION:

1. Tape unit 1: 62 mm
2. Blue fingerlift, 9.5 mm
3. Tape unit 2: 62 mm
4. Tape unit 3: 46.5 mm

Unfolded length, 141.5 mm

Extension length, 100 mm



STANDARD FORMAT:

- Roll width: 63 mm
- Roll length: 400 linear meter
- Inside diameter of the core: 76 mm
- Outside diameter of the roll: 465 mm

PACKAGING:

- Standard export packaging
- Pallet size is 1200 x 1000 x 1150 mm (height)
- Number of rolls per pallet, 56 rolls
- Re-usable packaging, information available upon request.



Avery Dennison Z4050

Physical Properties	Typical Values	Test Methods
FASTENING ADHESIVE		
90° PA on PE film (of unit 1)	320 N/m	T04/100
90° Tab opening release (T1 from T2)	48 N/m	T04/202
90° Tab opening release (T2 from T3)	60 N/m	T04/202
LAMINATING ADHESIVE		
90° PA on PE film (of unit 3)	440 N/m	T04/100

Note: The listed values are typical only and not intended to serve as product specifications.
Test procedures conform PSTC – ASTM – ISO.

STORAGE AND SHELF LIFE:

The shelf life of the product is one year when stored in original packaging at 15°C-30°C, 30-70% relative humidity and out of direct sunlight.

IMPORTANT:

Information on the above characteristics is based upon tests we believe to be reliable. The values given are typical values that vary according to application conditions. The values are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine prior to use the suitability of this material for their specific purposes. All Avery Dennison materials described herein are sold subject to Avery Dennison Conditions of Sales, a copy of which is available upon request.

Please refer to [Tapes.AveryDennison.com](https://www.tapes.averydennison.com) for complete terms and conditions, including warranty terms, relating to this product. You should periodically review the site as terms and conditions are subject to change without notice.

© 2018 Avery Dennison Corporation. All rights reserved. Avery Dennison® is a registered trademark of Avery Dennison Corporation.
All other Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation.

Asia Pacific

Kunshan, China,
NO. 618 Nanhe Road
Kunshan Economic &
Technological Zone
China, 215335
Phone: +86 512 57155001
Fax: +86 512 57155059

Europe

Tieblokkenlaan 1
B-2300 Turnhout
Belgium
Phone: +32 (0)14 40 48 11
Fax: +32 (0)14 40 48 55

North America

250 Chester Street
Painesville, Ohio
44077 USA
Phone: +1 866-462-8379
Fax: +1 888-358-4469

For more information on our bonding tapes and adhesive solutions, visit [Tapes.AveryDennison.com](https://www.tapes.averydennison.com)